



### TEKNİK RESİMLER



### SPZ (9,5) BURÇLU V KASNAKLAR

#### SPZ-1

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
50 1	50	54	9	1008	25	-	37	26	12	25	-	-
56 1	56	60	9	1008	25	-	37	32	12	25	-	-
60 1	60	64	1	1008	25	-	22	-	-	22	-	-
63 1	63	67	1	1108	28	-	16	-	-	22	6	56
67 1	67	71	1	1108	28	-	16	-	-	22	6	60
71 1	71	75	1	1108	28	-	16	-	-	22	6	60
75 1	75	79	1	1108	28	-	16	-	-	22	6	60
80 1	80	84	1	1210	30	-	16	-	-	25	9	75
85 1	85	89	1	1210	30	-	16	-	-	25	9	80
90 1	90	94	1	1210	30	-	16	-	-	25	9	80
95 1	95	99	1	1210	30	-	16	-	-	25	9	85
100 1	100	104	1	1210	30	-	16	-	-	25	9	85
106 1	106	110	1	1610	42	-	16	-	-	25	9	92
112 1	112	116	1	1610	42	-	16	-	-	25	9	92
118 1	118	122	1	1610	42	-	16	-	-	25	9	92
125 1	125	129	1	1610	42	-	16	-	-	25	9	92
132 1	132	136	1	1610	42	-	16	-	-	25	9	92
140 1	140	144	1	1610	42	-	16	-	-	25	9	92
150 1	150	154	1	1610	42	-	16	-	-	25	9	92
160 1	160	164	1	1610	42	-	16	-	-	25	9	92
170 1	170	174	1	1610	42	-	16	-	-	25	9	92
180 1	180	184	7	1610	42	6	16	152	-	25	9	92
190 1	190	194	7	1610	42	12	16	162	-	25	9	92
200 1	200	204	7	2012	50	10	16	171	-	32	16	112
224 1	224	228	4	2012	50	15	16	195	-	32	16	112
250 1	250	254	4	2012	50	-	16	221	8	32	8	112
280 1	280	284	4	2012	50	-	16	251	8	32	8	112
315 1	315	319	4	2012	50	-	16	286	8	32	8	112
355 1	355	359	4	2012	50	-	16	326	8	32	8	112
400 1	400	404	4	2012	50	-	16	371	8	32	8	112
450 1	450	454	4	2517	60	-	16	421	14,5	45	14,5	124

#### SPZ-2

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
50 2	50	54	9	1008	25	-	50	26	25	25	-	-
56 2	56	60	9	1008	25	-	49	32	27	22	-	-
60 2	60	64	9	1108	28	-	49	36	27	22	-	-
63 2	63	67	8	1108	28	-	28	40	6	22	-	-
67 2	67	71	8	1108	28	-	28	42	6	22	-	-
71 2	71	75	8	1108	28	-	28	42	6	22	-	-
75 2	75	79	8	1210	30	-	28	51	3	25	-	-
80 2	80	84	8	1210	30	-	28	51	3	25	-	-
85 2	85	89	8	1610	42	-	28	60	3	25	-	-
90 2	90	94	8	1610	42	-	28	61	3	25	-	-
95 2	95	99	8	1610	42	-	28	66	3	25	-	-
100 2	100	104	8	1610	42	-	28	71	3	25	-	-
106 2	106	110	8	1610	42	-	28	76	3	25	-	-
112 2	112	116	8	1610	42	-	28	83	3	25	-	-
118 2	118	122	8	1610	42	-	28	90	3	25	-	-
125 2	125	129	8	1610	42	-	28	96	3	25	-	-
132 2	132	136	8	1610	42	-	28	103	3	25	-	-
140 2	140	144	8	1610	42	-	28	111	3	25	-	-
150 2	150	154	1	2012	50	-	28	-	-	32	4	112
160 2	160	164	1	2012	50	-	28	-	-	32	4	112
170 2	170	174	7	2012	50	-	28	-	-	32	4	112
180 2	180	184	7	2012	50	6	28	152	-	32	4	112
190 2	190	194	7	2012	50	12	28	162	-	32	4	112
200 2	200	204	4	2012	50	6	28	171	-	32	4	112
224 2	224	228	4	2012	50	15	28	195	-	32	4	112
250 2	250	254	4	2012	50	-	28	221	2	32	2	112
280 2	280	284	4	2012	50	-	28	251	2	32	2	112
315 2	315	319	4	2012	50	-	28	286	2	32	2	112
355 2	355	359	4	2012	50	-	28	326	2	32	2	112
400 2	400	404	4	2517	60	-	28	371	8,5	45	8,5	124
450 2	450	454	4	2517	60	-	28	421	8,5	45	8,5	124

#### SPZ-3

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
63 3	63	67	8	1108	28	-	40	40	-	22	-	-
67 3	67	71	8	1108	28	-	40	42	18	22	-	-
71 3	71	75	8	1108	28	-	40	42	18	22	-	-
75 3	75	79	8	1210	30	-	40	51	15	25	-	-
80 3	80	84	8	1210	30	-	40	51	15	25	-	-
85 3	85	89	8	1610	42	-	40	60	15	25	-	-
90 3	90	94	8	1610	42	-	40	61	15	25	-	-
95 3	95	99	8	1610	42	-	40	66	15	25	-	-
100 3	100	104	8	1610	42	-	40	71	15	25	-	-
106 3	106	110	8	1610	42	-	40	76	15	25	-	-
112 3	112	116	8	2012	50	-	40	83	8	32	-	-
118 3	118	122	8	2012	50	-	40	90	8	32	-	-
125 3	125	129	2	2012	50	-	40	96	-	32	8	-
132 3	132	136	2	2012	50	-	40	103	-	32	8	-
140 3	140	144	2	2012	50	-	40	111	-	32	8	-
150 3	150	154	2	2012	50	-	40	121	-	32	8	-
160 3	160	164	2	2012	50	-	40	131	-	32	8	-
170 3	170	174	3	2012	50	-	40	141	4	32	4	-
180 3	180	184	6	2012	50	7	40	151	-	32	8	106
190 3	190	194	6	2012	50	10	40	161	4	32	4	112
200 3	200	204	6	2012	50	10	40	171	4	32	4	112
224 3	224	228	6	2012	50	12	40	195	4	32	4	112
250 3	250	254	5	2012	50	-	40	221	4	32	4	112
280 3	280	284	4	2517	60	-	40	251	2,5	45	2,5	124
315 3	315	319	4	2517	60	-	40	286	2,5	45	2,5	124
355 3	355	359	4	2517	60	-	40	326	2,5	45	2,5	124
400 3	400	404	4	2517	60	-	40	371	2,5	45	2,5	124
450 3	450	454	4	2517	60	-	40	421	2,5	45	2,5	124

#### SPZ-4

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
80 4	80	84	8	1210	30	-	52	51	27	25	-	-
85 4	85	89	8	1610	42	-	52	60	27	25	-	-
90 4	90	94	8	1610	42	-	52	61	27	25	-	-
95 4	95	99	8	1610	42	-	52	66	27	25	-	-
100 4	100	104	8	1610	42	-	52	71	27	25	-	-
106 4	106	110	8	1610	42	-	52	76	27	25	-	-
112 4	112	116	8	2012	50	-	52	83	20	32	-	-
118 4	118	122	8	2012	50	-	52	90	20	32	-	-
125 4	125	129	8	2012	50	-	52	96	-	32	20	-
132 4	132	136	2	2012	50	-	52	103	-	32	20	-
140 4	140	144	2	2012	50	-	52	111	-	32	20	-
150 4	150	154	2	2517	60	-	52	121	-	45	7	-
160 4	160	164	2	2517	60	-	52	131	-	45	7	-
170 4	170	174	2	2517	60	-	52	141	-	45	7	-
180 4	180	184	2	2517	60	-	52	151	-	45	7	-
190 4	190	194	3	2517	60	-	52	161	3,5	45	3,5	-
200 4	200	204	6	2517	60	8	52	171	3,5	45	3,5	124
224 4	224	228	6	2517	60	14	52	195	3,5	45	3,5	124
250 4	250	254	6	2517	60	12	52	221	3,5	45	3,5	124
280 4	280	284	6	2517	60	14	52	251	3,5	45	3,5	124
315 4	315	319	5	2517	60	-	52	286	3,5	45	3,5	124
355 4	355	359	5	2517	60	-	52	326	3,5	45	3,5	124
400 4	400	404	5	2517	60	-	52	371	3,5	45	3,5	124
450 4	450	454	5	3020	75	-	52	421	0,5	51	0,5	146
500 4	450	504	5	3020	75	-	52	471	0,5	51	0,5	146

### SPA (13) BURÇLU V KASNAKLAR

#### SPA-1

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
63	1	63	68,5	1	1008	25	-	20	-	22	2	56	
67	1	67	72,5	1	1108	28	-	20	-	22	2	56	
71	1	71	76,5	1	1108	28	-	20	-	22	2	60	
75	1	75	80,5	1	1108	28	-	20	-	22	2	56	
80	1	80	85,5	1	1210	30	-	20	-	25	5	75	
85	1	85	90,5	1	1210	30	-	20	-	25	5	80	
90	1	90	95,5	1	1210	30	-	20	-	25	5	80	
95	1	95	100,5	1	1210	30	-	20	-	25	5	85	
100	1	100	105,5	1	1610	42	-	20	-	25	5	85	
106	1	106	111,5	1	1610	42	-	20	-	25	5	92	
112	1	112	117,5	1	1610	42	-	20	-	25	5	92	
118	1	118	123,5	1	1610	42	-	20	-	25	5	92	
125	1	125	130,5	1	1610	42	-	20	-	25	5	92	
132	1	132	137,5	1	1610	42	-	20	-	25	5	92	
140	1	140	145,5	1	1610	42	-	20	-	25	5	92	
150	1	150	155,5	1	1610	42	-	20	-	25	5	92	
160	1	160	165,5	1	1610	42	-	20	-	25	5	92	
170	1	170	175,5	1	1610	42	-	20	-	25	5	92	
180	1	180	185,5	7	1610	42	6	20	145	-	25	5	92
190	1	190	195,5	7	1610	42	6	20	156	-	25	5	92
200	1	200	205,5	7	2012	50	6	20	165	-	32	12	108
212	1	212	217,5	7	2012	50	10	20	177	-	32	12	110
224	1	224	229,5	7	2012	50	10	20	189	-	32	12	112
236	1	236	241,5	7	2012	50	10	20	202	-	32	12	112
250	1	250	255,5	7	2012	50	10	20	215	6	32	6	112
280	1	280	285,5	7	2012	50	10	20	245	-	32	12	112
300	1	300	305,5	7	2012	50	12	20	265	-	32	12	112
315	1	315	320,5	7	2012	50	12	20	280	-	32	12	112
355	1	355	360,5	7	2012	50	-	20	320	-	32	12	112
400	1	400	405,5	7	2012	50	-	20	365	-	32	12	112
450	1	450	455,5	7	2012	50	-	20	415	-	32	12	112
500	1	500	505,5	7	2517	60	-	20	465	-	45	25	124

#### SPA-2

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
63	2	63	68,5	8	1008	28	-	35	32,5	13	22	-	-
67	2	67	72,5	8	1108	28	-	35	37	13	22	-	-
71	2	71	76,5	8	1108	28	-	35	40	13	22	-	-
75	2	75	80,5	8	1108	28	-	35	44	13	22	-	-
80	2	80	85,5	8	1210	30	-	35	50	10	25	-	-
85	2	85	90,5	8	1210	30	-	35	55	10	25	-	-
90	2	90	95,5	8	1610	42	-	35	59	10	25	-	-
95	2	95	100,5	8	1610	42	-	35	63	10	25	-	-
100	2	100	105,5	8	1610	42	-	35	66	10	25	-	-
106	2	106	111,5	8	1610	42	-	35	72	10	25	-	-
112	2	112	117,5	8	1610	42	-	35	78	10	25	-	-
118	2	118	123,5	8	1610	42	-	35	84	10	25	-	-
125	2	125	130,5	8	1610	42	-	35	91	10	25	-	-
132	2	132	137,5	8	2012	50	-	35	98	3	32	-	-
140	2	140	145,5	8	2012	50	-	35	106	3	32	-	-
150	2	150	155,5	8	2012	50	-	35	116	3	32	-	-
160	2	160	165,5	8	2012	50	-	35	125	3	32	-	-
170	2	170	175,5	8	2012	50	-	35	135	3	32	-	-
180	2	180	185,5	7	2012	50	10	35	146	1,5	32	1,5	108
190	2	190	195,5	7	2012	50	10	35	156	1,5	32	1,5	108
200	2	200	205,5	7	2517	60	10	35	165	5	45	5	123
212	2	212	217,5	7	2517	60	18	35	177	5	45	5	123
224	2	224	229,5	7	2517	60	18	35	189	-	45	10	124
236	2	236	241,5	7	2517	60	12	35	202	-	45	10	124
250	2	250	255,5	7	2517	60	12	35	215	5	45	5	124
280	2	280	285,5	7	2517	60	12	35	245	-	45	10	124
300	2	300	305,5	7	2517	60	12	35	265	-	45	10	124
315	2	315	320,5	7	2517	60	12	35	280	-	45	10	124
355	2	355	360,5	4	2517	60	-	35	320	-	45	10	124
400	2	400	405,5	4	2517	60	-	35	365	-	45	10	124
450	2	450	455,5	4	2517	60	-	35	465	-	45	10	124
500	2	500	505,5	4	2517	60	-	35	525	-	45	10	125

#### SPA-3

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
71	3	71	76,5	8	1108	28	-	50	40	28	22	-	-
75	3	75	80,5	8	1108	28	-	50	44	28	22	-	-
80	3	80	85,5	8	1210	30	-	50	50	25	25	-	-
85	3	85	90,5	8	1210	30	-	50	55	25	25	-	-
90	3	90	95,5	8	1610	42	-	50	59	25	25	-	-
95	3	95	100,5	8	1610	42	-	50	63	25	25	-	-
100	3	100	105,5	2	1610	42	-	50	66	-	25	25	-
106	3	106	111,5	2	1610	42	-	50	72	-	25	25	-
112	3	112	117,5	8	2012	50	-	50	78	18	32	-	-
118	3	118	123,5	2	2012	50	-	50	84	-	32	18	-
125	3	125	130,5	2	2012	50	-	50	91	-	32	18	-
132	3	132	137,5	2	2012	50	-	50	98	-	32	18	-
140	3	140	145,5	8	2517	60	-	50	106	5	45	-	-
150	3	150	155,5	8	2517	60	-	50	116	5	45	-	-
160	3	160	165,5	8	2517	60	-	50	125	5	45	-	-
170	3	170	175,5	8	2517	60	-	50	135	5	45	-	-
180	3	180	185,5	8	2517	50	-	50	146	5	45	-	-
190	3	190	195,5	8	2517	50	-	50	156	5	45	-	-
200	3	200	205,5	6	2517	60	20	50	165	2,5	45	2,5	123
212	3	212	217,5	6	2517	60	20	50	177	2,5	45	2,5	123
224	3	224	229,5	6	2517	60	20	50	189	2,5	45	2,5	124
236	3	236	241,5	6	2517	60	20	50	202	2,5	45	2,5	124
250	3	250	255,5	6	2517	60	20	50	215	2,5	45	2,5	124
280	3	280	285,5	6	2517	60	20	50	245	2,5	45	2,5	124
300	3	300	305,5	4	3020	75	-	50	265	0,5	51	0,5	146
315	3	315	320,5	4	3020	75	-	50	280	0,5	51	0,5	159
355	3	355	360,5	4	3020	75	-	50	320	0,5	51	0,5	159
400	3	400	405,5	4	3020	75	-	50	365	-	51	1	159
450	3	450	455,5	4	3020	75	-	50	415	-	51	1	159
500	3	500	505,5	4	3020	75	-	50	465	-	51	1	159

#### SPA-4

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
90	4	90	95,5	8	1615	42	-	65	59	27	38	-	-
95	4	95	100,5	8	1615	42	-	65	63	27	38	-	-
100	4	100	105,5	2	1615	42	-	65	66	-	38	27	-
106	4	106	111,5	8	2012	50	-	65	72	33	32	-	-
112	4	112	117,5	8	2012	50	-	65	78	33	32	-	-
118	4	118	123,5	2	2012	50	-	65	84	-	32	33	-
125	4	125	130,5	2	2012	50	-	65	91	-	32	33	-
132	4	132	137,5	2	2517	60	-	65	98	-	45	20	-
140	4	140	145,5	2	2517	60	-	65	106	-	45	20	-
150	4	150	155,5	2	2517	60	-	65	116	-	45	20	-
160	4	160	165,5	2	2517	60	-	65	125	-	45	20	-
170	4	170	175,5	2	2517	60	-	65	135	-	45	20	-
180	4	180	185,5	2	2517	60	-	65	146	-	45	20	-
190	4	190	195,5	2	2517	60	-	65	156	-	45	20	-
200	4	200	205,5	2	3020	75	-	65	165	-	51	14	-
212	4	212	217,5	2	3020	75	-	65	177	-	51	14	-
224	4	224	229,5	2	3020	75	-	65	189	-	51		

### SPZ (9,5) BURÇLU V KASNAKLAR

#### SPZ-5

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
85	5	85	8	1610	42	-	64	60	39	25	-	-
90	5	90	8	1610	42	-	64	61	39	25	-	-
95	5	95	8	1610	42	-	64	66	39	25	-	-
100	5	100	8	2012	50	-	64	71	32	32	-	-
106	5	106	8	2012	50	-	64	76	32	32	-	-
112	5	112	8	2012	50	-	64	83	32	32	-	-
118	5	118	8	2012	50	-	64	90	32	32	-	-
125	5	125	8	2012	50	-	64	96	32	32	-	-
132	5	132	8	2517	60	-	64	103	19	45	19	-
140	5	140	2	2517	60	-	64	111	-	45	19	-
150	5	150	2	2517	60	-	64	121	-	45	19	-
160	5	160	2	2517	60	-	64	131	-	45	19	-
170	5	170	2	2517	60	-	64	141	-	45	19	-
180	5	180	2	2517	60	-	64	151	-	45	19	-
190	5	190	3	2517	60	-	64	161	9,5	45	19	-
200	5	200	3	2517	60	-	64	171	9,5	45	9,5	-
224	5	224	6	2517	60	20	64	195	9,5	45	9,5	124
250	5	250	6	2517	60	16	64	221	9,5	45	9,5	124
280	5	280	6	2517	60	15	64	251	9,5	45	9,5	124
315	5	315	5	2517	60	-	64	286	9,5	45	9,5	124
355	5	355	5	2517	60	-	64	326	9,5	45	9,5	124
400	5	400	5	3020	75	-	64	371	6,5	51	6,5	146
450	5	450	5	3020	75	-	64	421	6,5	51	6,5	146
500	5	450	4	3030	75	-	64	471	6	51	6	146

#### SPZ-6

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
90	6	90	8	1610	42	-	76	61	51	25	-	-
95	6	95	8	1610	42	-	76	66	51	25	-	-
100	6	100	8	2012	50	-	76	71	44	32	-	-
106	6	106	8	2012	50	-	76	76	44	32	-	-
112	6	112	8	2012	50	-	76	83	44	32	-	-
118	6	118	8	2517	60	-	76	90	31	45	-	-
125	6	125	8	2517	60	-	76	96	31	45	-	-
132	6	132	8	2517	60	-	76	103	31	45	-	-
140	6	140	2	2517	60	-	76	111	-	45	31	-
150	6	150	2	2517	60	-	76	121	-	45	31	-
160	6	160	2	2517	60	-	76	131	-	45	31	-
170	6	170	2	2517	60	-	76	141	-	45	31	-
180	6	180	3	2517	60	-	76	151	15,5	45	15,5	-
190	6	190	3	2517	60	-	76	161	15,5	45	15,5	124
200	6	200	3	2517	60	-	76	171	15,5	45	15,5	124
224	6	224	6	2517	60	26	76	195	15,5	45	15,5	124
250	6	250	6	2517	60	26	76	221	15,5	45	15,5	124
280	6	280	6	2517	60	15	76	251	15,5	45	15,5	124
315	6	315	6	2517	60	15	76	286	15,5	45	15,5	124
355	6	355	5	2517	60	-	76	326	15,5	45	15,5	124
400	6	400	5	3030	75	-	76	371	-	76	-	146
450	6	450	5	3030	75	-	76	421	-	76	-	146
500	6	450	5	3030	75	-	76	471	-	76	-	146

#### SPZ-8

Kod (Code)	Anma Çap (P)	Dış Çap (O)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
140	8	140	3	2517	60	-	100	111	27,5	45	27,5	-
150	8	150	3	2517	60	-	100	121	27,5	45	27,5	-
160	8	160	3	2517	60	-	100	131	27,5	45	27,5	-
180	8	180	3	2517	60	-	100	151	27,5	45	27,5	-
200	8	200	3	3020	75	-	100	171	24,5	51	24,5	-
224	8	224	3	3020	75	-	100	195	24,5	51	24,5	-
250	8	250	6	3020	75	20	100	221	24,5	51	24,5	146
280	8	280	6	3020	75	20	100	251	24,5	51	24,5	146
355	8	355	5	3030	75	-	100	326	12	76	12	146
400	8	400	5	3030	75	-	100	371	12	76	12	146
450	8	450	5	3535	90	-	100	421	5,5	89	5,5	175



### SPA (13) BURÇLU V KASNAKLAR

#### SPA-5

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
100	5	100	105,5	2	1615	42	-	80	66	-	38	42	-
106	5	106	111,5	8	2012	50	-	80	72	48	32	-	-
112	5	112	117,5	8	2012	50	-	80	78	48	32	-	-
118	5	118	123,5	2	2012	50	-	80	84	-	32	48	-
125	5	125	130,5	3	2012	50	-	80	91	24	32	24	-
132	5	132	137,5	3	2517	60	-	80	98	17,5	45	18	-
140	5	140	145,5	3	2517	60	-	80	106	17,5	45	18	-
150	5	150	155,5	3	2517	60	-	80	116	17,5	45	18	-
160	5	160	165,5	3	2517	60	-	80	125	17,5	45	18	-
170	5	170	175,5	3	2517	60	-	80	135	17,5	45	18	-
180	5	180	185,5	3	3020	75	-	80	146	-	51	29	-
190	5	190	195,5	2	3020	75	-	80	156	14,5	51	15	-
200	5	200	205,5	3	3020	75	-	80	165	14,5	51	15	-
212	5	212	217,5	2	3020	75	-	80	177	-	51	29	-
224	5	224	229,5	2	3020	75	-	80	189	-	51	29	-
236	5	236	241,5	2	3020	75	-	80	202	-	51	29	-
250	5	250	255,5	6	3020	75	20	80	215	14,5	51	15	159
280	5	280	285,5	7	3535	90	25	80	245	4,5	89	4,5	175
300	5	300	305,5	7	3535	90	25	80	265	4,5	89	4,5	175
315	5	315	320,5	7	3535	90	25	80	280	4,5	89	4,5	175
355	5	355	360,5	4	3535	90	-	80	320	4,5	89	4,5	175
400	5	400	405,5	4	3535	90	-	80	365	4,5	89	4,5	175
450	5	450	455,5	4	3535	90	-	80	415	4,5	89	4,5	175
500	5	500	505,5	4	3535	90	-	80	465	4,5	89	4,5	175

#### SPA-6

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
100	6	100	105,5	3	1615	42	-	80	66	-	38	42	-
106	6	106	111,5	8	2012	50	-	80	72	48	32	-	-
112	6	112	117,5	8	2012	50	-	80	78	48	32	-	-
118	6	118	123,5	8	2012	50	-	80	84	-	32	48	-
125	6	125	130,5	3	2012	50	-	80	91	24	32	24	-
132	6	132	137,5	3	2517	60	-	80	98	17,5	45	18	-
140	6	140	145,5	3	2517	60	-	80	106	17,5	45	18	-
150	6	150	155,5	3	2517	60	-	80	116	17,5	45	18	-
160	6	160	165,5	3	2517	60	-	80	125	17,5	45	18	-
170	6	170	175,5	3	2517	60	-	80	135	17,5	45	18	-
180	6	180	185,5	3	3020	75	-	80	146	-	51	29	-
190	6	190	195,5	3	3020	75	-	80	156	14,5	51	15	-
200	6	200	205,5	3	3020	75	-	80	165	14,5	51	15	-
212	6	212	217,5	3	3020	75	-	80	177	-	51	29	-
224	6	224	229,5	3	3020	75	-	80	189	-	51	29	-
236	6	236	241,5	3	3020	75	-	80	202	-	51	29	-
250	6	250	255,5	6	3020	75	20	80	215	14,5	51	15	159
280	6	280	285,5	6	3535	90	25	80	245	4,5	89	4,5	175
300	6	300	305,5	6	3535	90	25	80	265	4,5	89	4,5	175
315	6	315	320,5	6	3535	90	25	80	280	4,5	89	4,5	175
355	6	355	360,5	5	3535	90	-	80	320	4,5	89	4,5	175
400	6	400	405,5	5	3535	90	-	80	365	4,5	89	4,5	175
450	6	450	455,5	5	3535	90	-	80	415	4,5	89	4,5	175
500	6	500	505,5	5	3535	90	-	80	465	4,5	89	4,5	175



### SPB (17) BURÇLU V KASNAKLAR

#### SPB-1

Kod (Code)	Anma Çap (P)	Dış Çap (0)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
100	1	100	107	1	1610	42	-	25	-	25	-	-	
106	1	106	113	1	1610	42	-	25	-	25	-	-	
112	1	112	119	1	1610	42	-	25	-	25	-	-	
118	1	118	125	1	1610	42	-	25	-	25	-	-	
125	1	125	132	1	1610	42	-	25	-	25	-	-	
132	1	132	139	1	1610	42	-	25	-	25	-	-	
140	1	140	147	1	1610	42	-	25	-	25	-	-	
150	1	150	157	1	1610	42	-	25	-	25	-	-	
160	1	160	167	1	1610	42	-	25	-	25	-	-	
170	1	170	177	1	1610	42	-	25	-	25	-	-	
180	1	180	187	6	1610	42	15	25	132	-	25	-	90
190	1	190	197	7	2012	50	15	25	147	3,5	32	3,5	104
200	1	200	207	7	2012	50	15	25	157	3,5	32	3,5	104
212	1	212	219	7	2012	50	15	25	169	3,5	32	3,5	104
224	1	224	231	7	2012	50	15	25	181	3,5	32	3,5	104
236	1	236	243	7	2012	50	15	25	193	3,5	32	3,5	104
250	1	250	257	7	2012	50	15	25	207	3,5	32	3,5	104
280	1	280	287	7	2012	50	15	25	237	3,5	32	3,5	104
300	1	300	307	7	2012	50	15	25	258	3,5	32	3,5	104
315	1	315	322	7	2012	50	15	25	272	3,5	32	3,5	104

#### SPB-2

Kod (Code)	Anma Çap (P)	Dış Çap (0)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
100	2	100	107	8	1610	42	-	44	62	19	25	-	-
106	2	106	113	8	1610	42	-	44	67	19	25	-	-
112	2	112	119	8	1610	42	-	44	72	19	25	-	-
118	2	118	125	2	1610	42	-	44	78	-	25	19	-
125	2	125	132	2	2012	50	-	44	82	-	32	12	-
132	2	132	139	2	2012	50	-	44	89	-	32	12	-
140	2	140	147	2	2012	50	-	44	97	-	32	12	-
150	2	150	157	2	2012	50	-	44	107	-	32	12	-
160	2	160	167	2	2012	50	-	44	117	-	32	12	-
170	2	170	177	2	2012	50	-	44	127	-	32	12	-
180	2	180	187	1	2517	60	-	44	-	-	45	1	120
190	2	190	197	1	2517	60	-	44	-	-	45	1	120
200	2	200	207	1	2517	60	-	44	-	-	45	1	117
212	2	212	219	7	2517	60	20	44	169	-	45	1	117
224	2	224	231	7	2517	60	15	44	181	-	45	1	117
236	2	236	243	7	2517	60	15	44	193	-	45	1	117
250	2	250	257	7	2517	60	20	44	207	-	45	1	125
280	2	280	287	7	2517	60	20	44	237	-	45	1	125
300	2	300	307	7	2517	60	20	44	257	-	45	1	125
315	2	315	322	7	2517	60	20	44	272	-	45	1	125
335	2	335	342	7	2517	60	20	44	292	-	45	1	125
355	2	355	362	7	3020	75	15	44	312	3,5	51	3,5	144
400	2	400	407	4	3020	75	-	44	357	3,5	51	3,5	150
450	2	450	457	4	3020	75	-	44	407	3,5	51	3,5	150
500	2	500	507	4	3020	75	-	44	457	3,5	51	3,5	150

#### SPB-3

Kod (Code)	Anma Çap (P)	Dış Çap (0)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
100	3	100	107	8	1610	42	-	63	62	38	25	-	-
106	3	106	113	8	1610	42	-	63	67	38	25	-	-
112	3	112	119	8	1610	42	-	63	72	38	25	-	-
118	3	118	125	2	1610	42	-	63	78	-	25	38	-
125	3	125	132	2	2012	50	-	63	82	-	32	31	-
132	3	132	139	2	2012	50	-	63	89	-	32	31	-
140	3	140	147	2	2012	50	-	63	97	-	32	31	-
150	3	150	157	2	2517	60	-	63	107	-	45	18	-
160	3	160	167	2	2517	60	-	63	117	-	45	18	-
170	3	170	177	2	2517	60	-	63	127	-	45	18	-
180	3	180	187	2	2517	60	-	63	137	-	45	18	-
190	3	190	197	2	2517	60	-	63	147	-	45	18	-
200	3	200	207	2	2517	60	-	63	157	-	45	18	-
212	3	212	219	6	2517	60	15	63	169	-	45	18	117
224	3	224	231	6	2517	60	15	63	181	-	45	18	117
236	3	236	243	6	2517	60	15	63	193	-	45	18	117
250	3	250	257	6	3020	75	20	63	207	-	51	12	144
280	3	280	287	6	3020	75	20	63	237	6	51	6	144
300	3	300	307	6	3020	75	20	63	257	6	51	6	144
315	3	315	322	6	3020	75	20	63	272	6	51	6	144
335	3	335	342	6	3020	75	20	63	292	6	51	6	144
355	3	355	362	6	3020	75	15	63	312	6	51	6	144
400	3	400	407	4	3535	90	-	63	357	13	89	13	175
450	3	450	457	4	3535	90	-	63	407	-	89	26	175
500	3	500	507	4	3535	90	-	63	457	-	89	26	175

#### SPB-4

Kod (Code)	Anma Çap (P)	Dış Çap (0)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
112	4	112	119	3	2012	50	-	82	78	25	32	25	-
125	4	125	132	3	2012	50	-	82	82	25	32	25	-
132	4	132	139	3	2012	50	-	82	89	25	32	25	-
140	4	140	147	3	2517	60	-	82	100	18,5	45	18,5	-
150	4	150	157	3	2517	60	-	82	107	18,5	45	18,5	-
160	4	160	167	3	2517	60	-	82	117	18,5	45	18,5	-
170	4	170	177	3	2517	60	-	82	127	18,5	45	18,5	-
180	4	180	187	3	2517	60	-	82	137	18,5	45	18,5	-
190	4	190	197	3	2517	60	-	82	147	18,5	45	18,5	-
200	4	200	207	3	3020	75	-	82	157	15,5	51	15,5	-
212	4	212	219	3	3020	75	-	82	169	15,5	51	15,5	-
224	4	224	231	3	3020	75	-	82	181	15,5	51	15,5	-
236	4	236	243	3	3020	75	-	82	193	15,5	51	15,5	-
250	4	250	257	6	3020	75	25	82	207	15,5	51	15,5	144
280	4	280	287	6	3020	75	25	82	237	15,5	51	15,5	144
300	4	300	307	7	3535	90	25	82	257	-	89	7	175
315	4	315	322	7	3535	90	25	82	272	3,5	89	3,5	175
335	4	335	342	7	3535	90	25	82	292	3,5	89	3,5	175
355	4	355	362	7	3535	90	25	82	312	3,5	89	3,5	175
400	4	400	407	4	3535	90	-	82	357	3,5	89	3,5	175
450	4	450	457	4	3535	90	-	82	407	-	89	7	175
500	4	500	507	4	3535	90	-	82	457	-	89	7	175
560	4	560	567	4	3535	90	-	82	517	-	89	7	175

### SPB (17) BURÇLU V KASNAKLAR

#### SPB-5

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
125	5	125	132	8	2012	50	-	101	82	69	32	-	-
132	5	132	139	8	2517	60	-	101	89	56	45	-	-
140	5	140	147	3	2517	60	-	101	100	28	45	28	-
150	5	150	157	3	2517	60	-	101	107	28	45	28	-
160	5	160	167	3	2517	60	-	101	117	28	45	28	-
170	5	170	177	3	3020	75	-	101	127	25	51	25	-
180	5	180	187	3	3020	75	-	101	137	25	51	25	-
190	5	190	197	3	3020	75	-	101	147	25	51	25	-
200	5	200	207	3	3020	75	-	101	157	25	51	25	-
212	5	212	219	3	3020	75	-	101	169	25	51	25	-
224	5	224	231	3	3020	75	-	101	181	25	51	25	-
236	5	236	243	3	3535	90	-	101	193	6	89	6	-
250	5	250	257	3	3535	90	-	101	207	6	89	6	-
280	5	280	287	6	3535	90	25	101	237	6	89	6	175
300	5	300	307	6	3535	90	25	101	257	6	89	6	175
315	5	315	322	6	3535	90	25	101	272	6	89	6	175
335	5	335	342	6	3535	90	25	101	292	6	89	6	175
355	5	355	362	6	3535	90	17	101	312	6	89	6	175
400	5	400	407	5	3535	90	-	101	357	6	89	6	175
450	5	450	457	5	3535	90	-	101	407	-	89	12	175
500	5	500	507	5	3535	90	-	101	457	-	89	12	175
560	5	560	567	4	4040	100	-	101	517	-	102	1	210
630	5	630	637	4	4040	100	-	101	587	-	102	1	210

#### SPB-6

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
140	6	140	147	3	2517	60	-	120	100	37,5	45	37,5	-
150	6	150	157	3	2517	60	-	120	107	37,5	45	37,5	-
160	6	160	167	3	3020	75	-	120	117	34,5	51	34,5	-
170	6	170	177	3	3020	75	-	120	127	34,5	51	34,5	-
180	6	180	187	3	3020	75	-	120	137	34,5	51	34,5	-
190	6	190	197	3	3020	75	-	120	147	34,5	51	34,5	-
200	6	200	207	3	3020	75	-	120	157	34,5	51	34,5	-
212	6	212	219	3	3535	90	-	120	169	15,5	89	15,5	-
224	6	224	231	3	3535	90	-	120	181	15,5	89	15,5	-
236	6	236	243	3	3535	90	-	120	193	15,5	89	15,5	-
250	6	250	257	3	3535	90	-	120	207	15,5	89	15,5	-
280	6	280	287	6	3535	90	25	120	237	15,5	89	15,5	175
300	6	300	307	6	3535	90	25	120	257	15,5	89	15,5	175
315	6	315	322	6	3535	90	25	120	272	15,5	89	15,5	175
335	6	335	342	6	3535	90	25	120	292	15,5	89	15,5	175
355	6	355	362	6	3535	90	25	120	312	15,5	89	15,5	175
400	6	400	407	5	3535	90	-	120	357	15,5	89	15,5	175
450	6	450	457	5	4040	100	-	120	407	-	102	18	210
500	6	500	507	5	4040	100	-	120	457	-	102	18	210
560	6	560	567	5	4040	100	-	120	517	-	102	18	210
630	6	630	637	5	4040	100	-	120	587	-	102	18	210
710	6	710	717	5	4040	100	-	120	664	9	102	9	210
800	6	800	807	5	4040	100	-	120	754	3	102	3	242

#### SPB-8

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
140	8	140	147	3	2517	60	-	158	100	56,5	45	56,5	-
150	8	150	157	3	3020	75	-	158	107	53,5	51	53,5	-
160	8	160	167	3	3030	75	-	158	117	41	76	41	-
170	8	170	177	3	3030	75	-	158	127	41	76	41	-
180	8	180	187	3	3030	75	-	158	137	41	76	41	-
190	8	190	197	3	3535	90	-	158	147	34,5	89	34,5	-
200	8	200	207	3	3535	90	-	158	157	34,5	89	34,5	-
212	8	212	219	3	3535	90	-	158	169	34,5	89	34,5	-
224	8	224	231	3	3535	90	-	158	181	34,5	89	34,5	-
236	8	236	243	3	3535	90	-	158	193	34,5	89	34,5	-
250	8	250	257	3	3535	90	-	158	207	34,5	89	34,5	-
280	8	280	287	6	3535	90	25	158	237	34,5	89	34,5	175
300	8	300	307	6	3535	90	25	158	257	34,5	89	34,5	175
315	8	315	322	6	3535	90	25	158	272	34,5	89	34,5	175
335	8	335	342	6	3535	90	25	158	292	34,5	89	34,5	175
355	8	355	362	6	3535	90	25	158	312	34,5	89	34,5	175
400	8	400	407	6	4040	100	30	158	357	28	102	28	210
450	8	450	457	5	4040	100	-	158	407	28	102	28	210
500	8	500	507	5	4040	100	-	158	457	28	102	28	210
560	8	560	567	5	4545	110	-	158	517	22	114	22	242
630	8	630	637	5	4545	110	-	158	587	22	114	22	242
710	8	710	717	5	4545	110	-	158	664	22	114	22	242
800	8	800	807	5	4545	110	-	158	754	22	114	22	242



### SPC (22) BURÇLU V KASNAKLAR

#### SPC-3

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
200	3	200	209,6	3	2517	60	-	85	144	20	45	20	-
212	3	212	221,6	3	3020	75	-	85	156	17	51	17	-
224	3	224	233,6	3	3020	75	-	85	168	17	51	17	-
236	3	236	245,6	3	3020	75	-	85	180	17	51	17	-
250	3	250	259,6	3	3020	75	-	85	194	17	51	17	-
265	3	265	274,6	1	3535	90	-	85	209	-	89	4	175
280	3	280	289,6	1	3535	90	-	85	224	-	89	4	175
300	3	300	309,6	7	3535	90	20	85	244	2	89	2	175
315	3	315	324,6	7	3535	90	20	85	259	2	89	2	175
335	3	335	344,6	7	3535	90	20	85	279	2	89	2	175
355	3	355	364,6	7	3535	90	20	85	299	2	89	2	175
375	3	375	384,6	7	3535	90	25	85	319	2	89	2	175
400	3	400	409,6	7	3535	90	17	85	344	2	89	2	175
425	3	425	434,6	7	3535	90	17	85	369	2	89	2	175
450	3	450	459,6	4	3535	90	-	85	394	2	89	2	175
475	3	475	484,6	4	3535	90	-	85	419	2	89	2	175
500	3	500	509,6	4	3535	90	-	85	444	2	89	2	175
560	3	560	569,6	4	3535	90	-	85	574	8	89	8,5	210

#### SPC-4

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
200	4	200	209,6	3	3020	75	-	111	144	30	51	30	-
212	4	212	221,6	3	3020	75	-	111	156	30	51	30	-
224	4	224	233,6	3	3535	90	-	111	168	11	89	11	-
236	4	236	245,6	3	3535	90	-	111	180	11	89	11	-
250	4	250	259,6	3	3535	90	-	111	194	11	89	11	-
265	4	265	274,6	3	3535	90	-	111	209	11	89	11	-
280	4	280	289,6	6	3535	90	18	111	224	11	89	11	175
300	4	300	309,6	6	3535	90	20	111	244	11	89	11	175
315	4	315	324,6	6	3535	90	20	111	259	11	89	11	175
335	4	335	344,6	6	3535	90	20	111	279	11	89	11	175
355	4	355	364,6	6	3535	90	20	111	299	11	89	11	175
375	4	375	384,6	6	3535	90	25	111	319	11	89	11	175
400	4	400	409,6	6	3535	90	18	111	344	11	89	11	175
425	4	425	434,6	6	3535	90	18	111	369	11	89	11	175
450	4	450	459,6	5	3535	90	-	111	394	11	89	11	175
475	4	475	484,6	5	3535	90	-	111	419	11	89	11	175
500	4	500	509,6	5	3535	90	-	111	444	11	89	11	175
560	4	560	569,6	5	4040	100	-	111	504	4,5	102	4,5	210

#### SPC-5

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
200	5	200	209,6	3	3535	90	-	136	144	24	89	24	-
212	5	212	221,6	3	3535	90	-	136	156	24	89	24	-
224	5	224	233,6	3	3535	90	-	136	168	24	89	24	-
236	5	236	245,6	3	3535	90	-	136	180	24	89	24	-
250	5	250	259,6	3	3535	90	-	136	194	24	89	24	-
265	5	265	274,6	3	3535	90	-	136	209	24	89	24	-
280	5	280	289,6	3	3535	90	-	136	224	24	89	24	-
300	5	300	309,6	6	3535	90	20	136	244	24	89	24	175
315	5	315	324,6	6	3535	90	20	136	259	24	89	24	175
335	5	335	344,6	6	3535	90	20	136	279	24	89	24	175
355	5	355	364,6	6	3535	90	20	136	299	24	89	24	175
375	5	375	384,6	6	3535	90	25	136	319	24	89	24	175
400	5	400	409,6	6	3535	90	15	136	344	24	89	24	175
425	5	425	434,6	6	3535	90	20	136	369	24	89	24	175
450	5	450	459,6	5	4040	100	-	136	394	17	102	17	210
475	5	475	484,6	5	4040	100	-	136	419	17	102	17	210
500	5	500	509,6	5	4040	100	-	136	444	17	102	17	210
560	5	560	569,6	5	4545	110	-	136	504	11	114	11	242

#### SPC-6

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N	
200	6	200	209,6	3	3535	90	-	162	144	37	89	37	-
212	6	212	221,6	3	3535	90	-	162	156	37	89	37	-
224	6	224	233,6	3	3535	90	-	162	168	37	89	37	-
236	6	236	245,6	3	3535	90	-	162	180	37	89	37	-
250	6	250	259,6	3	3535	90	-	162	194	37	89	37	-
265	6	265	274,6	3	3535	90	-	162	209	37	89	37	-
280	6	280	289,6	6	3535	90	20	162	224	37	89	37	175
300	6	300	309,6	6	3535	90	20	162	244	37	89	37	175
315	6	315	324,6	6	3535	90	20	162	259	37	89	37	175
335	6	335	344,6	6	3535	90	20	162	279	37	89	37	175
355	6	355	364,6	6	3535	90	20	162	299	37	89	37	175
375	6	375	384,6	6	4040	100	30	162	319	30	102	30	210
400	6	400	409,6	6	4040	100	30	162	344	30	102	30	210
425	6	425	434,6	6	4040	100	30	162	369	30	102	24	210
450	6	450	459,6	6	4545	110	30	162	394	24	114	24	242
475	6	475	484,6	6	4545	110	30	162	419	24	114	24	242
500	6	500	509,6	5	4545	110	-	162	444	24	114	24	242
560	6	560	569,6	5	5050	125	-	162	504	18	127	18	267



### SPC (22) BURÇLU V KASNAKLAR

#### SPC-8

Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
200	8	200	3	3535	90	-	213	144	62	89	62	-
212	8	212	3	3535	90	-	213	156	62	89	62	-
224	8	224	3	3535	90	-	213	168	62	89	62	-
236	8	236	3	3535	90	-	213	180	62	89	62	-
250	8	250	3	3535	90	-	213	194	62	89	62	-
265	8	265	3	3535	90	-	213	209	62	89	62	-
280	8	280	3	3535	90	-	213	224	62	89	62	-
300	8	300	3	4040	100	-	213	244	56	102	56	-
315	8	315	3	4040	100	-	213	259	56	102	56	-
335	8	335	6	4040	100	50	213	279	56	102	56	210
355	8	355	6	4040	100	40	213	299	56	102	56	210
375	8	375	6	4545	110	30	213	319	50	114	50	242
400	8	400	6	4545	110	30	213	344	50	114	50	242
425	8	425	6	4545	110	30	213	369	50	114	50	240
450	8	450	6	5050	125	30	213	394	43	127	43	267
475	8	475	6	5050	125	30	213	419	43	127	43	267
500	8	500	6	5050	125	30	213	444	43	127	43	267
560	8	560	5	5050	125	-	213	504	43	127	43	267
630	8	630	5	5050	125	-	213	574	43	127	43	267

#### SPC-10



Kod (Code)	Anma Çap (P)	Dış Çap (Ø)	Tip (Type)	Burç Kodu (Bush)	Delik Çapı (max)	E	F	J	K	L	M	N
250	10	250	3	4040	100	-	264	194	81	102	81	-
280	10	280	3	4040	100	-	264	224	81	102	81	-
300	10	300	3	4545	110	-	264	244	75	114	75	-
315	10	315	3	4545	110	-	264	259	75	114	75	-
355	10	355	3	4545	110	-	264	299	75	114	75	-
375	10	375	3	4545	110	-	264	316	75	114	75	-
400	10	400	6	5050	125	70	264	344	68,5	127	68,5	267
450	10	450	6	5050	125	40	264	394	68,5	127	68,5	267
500	10	500	6	5050	125	40	264	444	68,5	127	68,5	267
560	10	560	5	5050	125	-	264	504	68,5	127	68,5	267
630	10	630	5	5050	125	-	264	574	68,5	127	68,5	267




### V KAYIŞ TEKNİK DETAYLAR

KESİT	Z/10	A/13	B/17	C/22	D/32
Üst Genişlik	10,00	13,00	17,00	22,00	32,00
Adım	8,50	11,00	14,00	19,00	27,00
Yükseklik	6,00	8,00	11,00	14,00	19,00

KESİT	SPZ	SPA	SPB	SPC
Üst Genişlik	10,00	13,00	16,00	22,00
Adım	8,50	11,00	14,00	19,00
Yükseklik	8,00	10,00	14,00	18,00





### V KASNAK KANAL TEKNİK DETAYLARI

PRO FİL	dw (mm)	a°	b1	bw	c	f	e	t (min)
SPZ	≤80	34°	9,7	8,5	2	8±0,3	12±0,3	11±0,6
	≥80	38°						
SPA	≤118	34°	12,7	11	2,8	10±0,3	15±0,3	14±0,6
	≥118	38°						
SPB	≤190	34°	16,3	14	3,5	12,5±0,4	19±0,4	18±0,6
	≥190	38°						
SPC	≤315	34°	22	19	4,8	17±0,5	25,5±0,5	24±0,6
	≥315	38°						

### KANAL SAYISINA GÖRE V KASNAK GENİŞLİKLERİ

KANAL TİPİ	KANAL SAYISI								
	1	2	3	4	5	6	8	10	
SPZ	16,00	28,00	40,00	52,00	64,00	76,00	100,00	-	
SPA	20,00	35,00	50,00	65,00	80,00	95,00	-	-	
SPB	25,00	44,00	63,00	82,00	101,00	120,00	158,00	196,00	
SPC	-	-	85,00	110,50	136,00	161,50	212,50	263,50	

MOTOR GÜÇ VE DEVİRE GÖRE KASNAK SEÇİM TABLOSU

